



DIMENSIONAL VIEWS









All measurements in millimeters

MONTERO SPORT

Equipment & Specifications







GLS

EQUIPMENT LEVEL

GLS







GLS with Unique Variant Package

ITSUBISHI

MITSUBISHI

GLS





Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.













STANDARD AND OPTIONAL EQUIPMENT

Standard	Ontional	 Not available

Model							
Drive system		21	VD		4\	ND	
Frim level / Grade	GLX	GLS			LS		
Transmission					/T		
Engine		6B31 MIVEC		IVEC HP	6B31 MIVEC		IVEC HP
Model code		KR5WGUMMLW	KR1WGUPFPLW	KS1WGUHFPLW	KS5WGUPMLW	KS1WGUPFPLW	KS1WGUPGPL
Drivetrain and Ch							
Drivetrain	Sport mode (4-position + manual mode)						
	Super Select 4WD-II [SS4-II]						
	Upgraded silence						
	Front suspension						
and	(independent double wishbone, coil springs, stabilizer bar)						
Differential	Rear suspension (3-link coil springs with stabilizer bar)						
Tires	Rear differential lock (without LSD) Front and rear: 265/60R18 tires with 18" alloy wheels						
Tires							
and	Spare: 265/60R18 tire with 18" alloy wheel						
Wheels	Front and rear: 265/60R18 tires with 18" alloy wheels <two tone=""> Spare: 265/60R18 tire with 18" alloy wheel <two tone=""></two></two>						
Brakes	Electric parking brake						
DIdKes	Brake Auto Hold						
	Anti-lock Brake System [ABS]						
	with Electronic Brake-force Distribution [EBD]						
	Brake override system						
	Power brake booster (master vacuum 8" + 9")						
	Power brake booster (master vacuum 10")						
	Front ventilated 17" disc brakes (2 POT)						
	Rear ventilated 16" disc brakes (2 POT)						
Others	Cruise control						
others	Engine room under cover						
	Shift lock with key interlock						
	Tool and jack set						
xterior							
Bumper	Front and rear bumper (color-keyed, with chrome garnish)						
and Grille	Radiator grille (high-intensity silver)						
	Radiator grille (silver)						
Doors	Outer door handles (chrome)						
20013	Power windows (front and rear doors)						
	(driver's side window: auto down function)						
	Power windows (front and rear doors) with						
	Illumination switch, Safety system, Intentional close						
	(driver's side window: one touch up and down for all doors)						
	Side turn lamp on door mirror						
	Door sash blackout						
Door Mirrors	Power door mirrors (chrome) with folding function						
Glass	Laminated green windshield glass						
elass	Windshield sunshade						
	Tempered green windows - Front, rear doors and guarter						
	Tempered green tailgate window with defogger						
Molding	Beltline molding (chrome)						
Others	Side steps (styled grade type with front mudguard function)						
	Front skid plate						
	Engine room undercover						
	Front and rear towing hook, front tie-down hook						
	Rear mudguards (black molded)						
	Roof rails (silver)						
	Roof spoiler (color-keyed)						
	Power tailgate						
	(with hands-free access, close and lock function, height memory)						
	Aluminum hood						
afety, Security a	and Comfort						
	Immobilizer						
	Security alarm with indicator						
	Tire Pressure Monitoring System						
Airbags	Driver's and front passenger's SRS airbags						
	Driver's SRS knee airbag						
	Driver's and front passenger's SRS side airbags						
	SRS curtain airbags for 1st + 2nd row seat for 5 seater						
	SRS curtain airbags for 1st + 2nd + 3rd row seat for 7 seater						
Seatbelts							
Front row	3-point seatbelt with ELR x 2 and front adjustable type belt anchors						
	Seatbelt pretensioner (driver and front passenger)						
	Seatbelt double pretensioner (driver and front passenger)						
	3-point seatbelt with ELR x 3						
	3-point seatbelt with ELR x 2						
Comfort	MITSUBISHI Remote Control						
Others	Ultrasonic misacceleration Mitigation System [UMS]						
	Forward Collision Mitigation system [FCM]						
	Adaptive Cruise Control [ACC]						
	Blind Spot Warning [BSW] with						
	Lane Change Assist [LCA]						
	Rear Cross Traffic Alert [RCTA]						
	Hill Start Assist [HSA]						
	Trailer Stability Assist [TSA]						
	Brake Assist system (hydraulic)						
	Active Stability and Traction Control [ASTC]						
	Hill Descent Control [HDC]						
	OFF ROAD MODE						
	Parking sensors (back warning sensors)						

STANDARD AND OPTIONAL EQUIPMENT

JIANDAI	RD AND OPTIONAL EQUIPMENT				Standard	⊐ Optional -	- Not available
Model					Standard		NOL AVAIIADIE
Drive system			VD	4WD			
Trim level / Grade Transmission	2	GLX	GLS	GLS 8A/T			
Engine		6B31 MIVEC	4N15 M	IVEC HP	6B31 MIVEC	4N15 M	IVEC HP
Model code		KR5WGUMMLW	KR1WGUPFPLW	KS1WGUHFPLW	KS5WGUPMLW	KS1WGUPFPLW	KS1WGUPGPLW
Interior	Tilt and tolescenic adjustment						
Steering and	Tilt and telescopic adjustment 4-spoke urethane steering wheel						
	4-spoke leather steering wheel						
	Paddle shifters						
	Audio switch Cruise control switch						
	Adaptive Cruise Control switch						
	Hands free and voice control switch						
	Camera switch						
	Information display switch 8 inch color LCD meter switch						
	Urethane transmission shift knob						
	Leather transmission shift knob						
Seats Material	High quality fabric seat (water resistant)						
Hateria	Leather seat						
Front row	Manual sliding and reclining function (driver and passenger)						
	Manual sliding, single height and reclining function (driver) Power sliding, dual height and reclining function (driver)						
	Power sliding, dual height and reclining function (driver)						
	passenger)						
	Power lumbar support (driver) Convenience hook (driver and passenger)						
	Seatback pocket (driver and passenger)						
2nd row	6:4 split seat with tumbling and reclining						
	Center armrest with cup holder						
	2nd seat headrest x 3 ISO-FIX child restraint seat anchor x 2, tether anchor: seat x 2						
3rd row	5:5 separate seat with folding function						
	3rd seat headrest						
Instrument	5 seaters (3rd row seat less) High console type						
Panel	Garnish and air outlet grille (silver-painted)						
	Air outlet knob (chrome)						
	Center panel (piano black) High contrast meter cluster with chrome garnish and						
	color LCD multi-information display						
	8 inch color LCD meter						
	Seatbelt warning lamp and buzzer (driver's seat) Glovebox (with key lock, damper and lamp)						
	Washer fluid level warning lamp						
	Cigarette lighter						
Floor Console	High console type with armrest (cloth covered) High console type with armrest (PVC covered)						
	Cup holder for front seat x 2						
	Power outlet (AC 220V, max.150W, type A&C)						
Deex Trime	USB port for charging x 2 Door trim with armrest						
Door Trims	Power window switch panel (painted)						
	Door pocket (both side)						
	Bottle holder						
	Formed type with cloth insert Formed type with PVC insert						
Doors	Inner door handles (chrome)						
Locking System	Center door locking system and center door lock button (driver's seat)						
System	Child proof						
	Vehicle-speed sensitive automatic door lock						
	(with impact sensitive unlock mechanism) Keyless entry system with 2 transmitters						
	Keyless Operation System (with engine start switch)						
Roof	Power tilt and sliding sunroof (Auto open function)						
	with safety system						
	Sunglasses pocket Headlining formed type (knit)						
	Driver's and passenger's sunvisors with vanity mirrors, lids,						
	ticket holders and illuminations						
	Retractable assist grip x 5 (front, 2nd, 3rd rows) and coat hook (2nd row) x 2						
	Retractable assist grip x 6 (front, 2nd, 3rd rows) and						
	coat hook (2nd row) x 2						
	Retractable assist grip x 3 (front, 2nd rows) and coat hook (2nd row) x 2						
	Retractable assist grip x 4 (front, 2nd rows) and						
	coat hook (2nd row) x 2						
Others	Auto dimming rear view mirror						
	Cargo room hook x 2 Cargo room hook x 4						
	Cargo floor box						
	Cargo floor box deletion						
	Accessory socket on rear body (DC x 1)						

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

STANDARD AND OPTIONAL EQUIPMENT

Drive system Trim level / Grade Transmission Engine Model code Air Conditioning a		GLX 2V	VD GLS				
Transmission Engine Model code		ULX		4WD			
Engine Model code			ULS	8A/T		GLS	
Model code		6B31 MIVEC	ANITE M	IVEC HP	6B31 MIVEC	ANTE M	IVEC HP
						KS1WGUPFPLW	
MILLUIUUTIONING 7	and Audio					NOTIFICATION IN CONTINUES	
	Full automatic air conditioning						
	Dual-zone automatic climate control						
	Air filter						
	nanoe™ X						
	Rear cooler						
	Rear cooler less						
	Smartphone-link Display Audio (SDA)						
•	8 inch display (touch screen), hands free and voice control						
	Composite Adapter: HDMI: 1, USB: 2						
	Digital Audio Broadcast radio (DAB) Smartphone-link Display Audio (SDA) navigation system						
	8 inch display (touch screen), hands free and voice control						
	Composite Adapter: HDMI: 1, USB: 2						
	Digital Audio Broadcast radio (DAB)						
	Smartphone-link Display Audio (SDA)						
	8 inch display (touch screen), hands free and voice control						
	Composite Adapter: HDMI: 1, USB: 2						
	Smartphone-link Display Audio (SDA)						
	7 inch display (touch screen), hands free and voice control						
	Composite Adapter: USB: 1						
	Digital Audio Broadcast radio (DAB) Multi Around Monitor						
	Rear view camera						
	4 speakers						
	6 speakers (2 tweeters)						
	MITSUBISHI POWER SOUND SYSTEM						
	8 speakers						
	Shark fin antenna						
Electrical							
	80D26L						
	95D31L						
	LED headlamps with auto leveling device and						
	LED daytime running lamps LED rear combination lamps						
	Side turn lamps on bumper Front foglamps (LED)						
	Rear foglamp (driver's side)						
	LED high-mount stop lamp on tailgate						
	Room lamp with map lamp and rear room lamp x 2						
Lamps	Front and Rear door courtesy lamps						
	Cargo room lamp						
	Front and rear intermittent wipers and washers						
	Headlamp washers						
Unique variant pa	-						
	Front and rear : 265/60R18 tires with 18" alloy wheels (black paint)						
	Spare: 265/60R18 tire with 18" alloy wheel (black paint) Brown interior with Quole Modure®						
	Seat: Synthetic leather seat + power slide, dual height and						
	reclining function (driver and passenger)						
	Floor console: High console type with armrest (PVC covered)						
	+ PVC insert on door trim						
	Front and rear bumper and radiator grill (black paint)						
	Black extension of LED headlamps						
	Black roof rails						
	SRS airbags (driver, passenger, side, curtain for 1st + 2nd +						
	3rd row, driver's knee)						
	2-tone exterior color						
	Front and rear : 265/60R18 tires with 18" alloy wheels (black paint) Spare: 265/60R18 tire with 18" alloy wheel (black paint)						
	Front and rear bumper and radiator grill (black paint)						
	Black extension of LED headlamps						
	Black roof rails						
	2-tone exterior color						

Note: "nanoe" and the "nanoe X" mark are trademarks of Panasonic Corporation. Note: Quole Modure® is a registered trademark of SEIREN Co., Ltd.

TECHNICAL SPECIFICATIONS

Model												
Drive system				2V	VD		41	VD				
Engine				3.0L	2.	.4L	3.0L	2.	4L			
Price class				GLX	GLS	GLS		GLS				
Model code				KR5WGUMMLW	KR1WGUPFPLW	KS1WGUHFPLW	KS5WGUPMLW	KS1WGUPFPLW	KS1WGUPGPLW			
Dimensions a	nd Weights											
	Overall length mm					4,8	325					
	Overall width		mm			1,8	815					
	Overall height				1,8	35						
	Wheelbase		mm			2,8	00					
	Track	Front	mm			1,5	20					
		Rear	mm				515					
	Overhang	Front	mm				00					
		Rear	mm				25					
	Min. ground c		mm				18					
	-	5 seater / 7 seater)	kg	1,840 / 1,890	1,890 / 1,940	1,990 / 2,040	1,935 / 1,985 1,990 / 2,040 - / 2,115					
	Gross vehicle		kg		600	1,000 / 2,040		570	/ 2,115			
	Seating capac	-	persons	2,0	00	7 (OPT : 5)	2,0	570	7			
Deuteumenee	Seating capac	lity	per 30113			7 (OP1.5)			1			
Performance	May canada		km / h	100		80						
	Max. speed*	.	,	182	18	80	182	180	180			
	Climbing abilit	•	tanθ		-			1				
	Min. turning r		. m	5.6								
	Approach ang		degrees				0.0					
	Ramp break-o		degrees				3.1					
	Departure and	gle	degrees			24	4.2					
Engine												
	Fuel type/						Unleaded gasoline, Diese		امد			
	Octane			RON 95 and over	Dic	2301	RON 95 and over	Dieser				
	Displacement		CC	2,998	2,4	442	2,998 2,442		42			
	Bore and stro	ke	mm	87.6 x 82.9	86.0 x 105.1		87.6 x 82.9	82.9 86.0 x 105.1				
	Compression	ratio		9.5	15	5.5	9.5	15	.5			
	Emission leve	I		Euro4	Euro2 Eur		ro4	Euro2	Euro4			
	Max. output ((EEC net)	kW/rpm	160/6,000	133/	133/3,500		133/3	3,500			
	Max. torque (B	EEC net)	N·m/rpm	285/4,000		2,500	160/6,000 285/4,000	430/				
Electrical												
	Battery			80D26L	950	031L	80D26L	950)31L			
Fuel System												
	Fuel supply sy	/stem		ECI-MULTI	Electrical fuel inie	ction (common rail)) ECI-MULTI Electrical fuel i		tion (common rail)			
	Fuel tank cap		liters	70		58	70	6				
Transmission				10			10					
	Туре			84/T (F	R8AWG)		84/T ()	/8AWG)				
	Clutch			Torque converter								
	cluten	1st					845					
		2nd					40					
		3rd					63					
	Coorretie	4th					36					
	Gear ratio	5th					16 00					
		6th										
		7th					315					
		8th					572					
	_	Reverse				3.8	325					
	Transfer	High		-	-		1.000					
	gear ratio	Low			-			2.566				
	Final gear rati	io		3.917	3.6	592	3.917	3.6	92			
Steering												
	Туре				R	ack and pinion w	ith power steerir	ng				
Suspensions												
	Front			Independent double wishbone, coil springs with stabilizer bar								
	Rear			3-link coil springs with stabilizer bar								
Brakes												
	Brake system	Front			Ventila	ted disc brakes (2	POT, Diameter 3	320mm)				
		Rear			, errend		disc brakes					
Tires and whe	els											
	Tires					265/60	R18 110H					
	Wheels						oy wheels					
						10,11,05 01	,					

* Measured by MITSUBISHI MOTORS CORPORATION

Note: These specifications are subject to change without notice. Please consult your local Mitsubishi Motors dealer/distributor for detailed specifications. Note: Hazardous driving may cause serious injury or vehicle damage. Please drive safely at all times.